



NET INTEGRATION TECHNOLOGIES INC.

*Mark II*



## The ultimate integrated office super server.

Tailored for the data storage throughput needs of larger groups of power users like graphic artists and software developers. Advanced disaster recovery features are especially suited for users who cannot tolerate long periods of down time. Mark II delivers the power and flexibility of traditional servers at an unbeatable price.

NET INTEGRATOR



---

- **NetIntelligence automatic network discovery**

This unique system, developed by Net Integration Technologies, allows Net Integrator to intelligently discover the network world around it and configure itself automatically. For the ultimate in plug-and-play, connect Net Integrator to the internal LAN and to the Internet. Net Integrator assigns itself IP addresses, discovers if DHCP needs to be enabled or disabled, then auto-configures the firewall, and displays its IP address on the front panel. Next, the administrator simply connects to WebConfig at this IP address through a web browser and begins setting up user accounts. It is that easy. The system is then operational and ready for use. WebConfig operates over SSL for heightened security.

---

- **SystemER - 2 minute disaster recovery system**

System ER (Emergency Recovery) is an innovative recovery system unique to Net Integrator, which enables fast and easy recovery from any catastrophic system failures in just 2 minutes. It sounds unbelievable, but no matter what happens, from system failures due to total hard disk failure to motherboard or CPU failures, your Net Integrator will be up and running and fully operational in just 2 minutes.

---

- **Advanced journaling file system**

The journaling file system is faster and much more robust than standard file systems. Featuring superior crash resistance, the journaling system also offers incredibly fast re-mounting of the file system after improper shutdown, as in the case of power failure. After such an occurrence the entire file system will re-mount in a matter of seconds, compared to several hours, as is the case with standard file systems.

---

- **High performance cross-platform file services for Windows and Macintosh clients**

Make no mistake, this is *not* another low cost, underpowered server. In industry standard file server tests, Net Integrator Mark II performed 700% to 900% faster than competitors in its class.

---

- **Integrated backup system**

Net Integrator Mark II is the only integrated office super server in its class that includes an integrated backup system. Featuring intelligent disk backup and continuous backup as often as every 15 minutes along with automatic backup management, backup and recovery is reliable and easy.

---

- **WWW-services**

The integrated Apache web server offers exceptional speed and capacity. Virtual servers, CGI scripts, Perl 5.0, PHP and SSL are also supported. Net Integrator is also equipped with an auto-configuring WWW proxy cache server that significantly improves client-browsing response, while maximizing Internet bandwidth utilization.

---

- **Email services**

The advanced email server provides POP3 and IMAP mailboxes for users. The Net Integrator email system supports mail forwarding, vacation auto reply and automatic email retrieval using IMAP or POP3 over SSL. The WebMail capability allows users to securely read and write their emails, with access to their calendars and address books, using any Internet browser from anywhere on the Internet. The Realtime Blackhole List (RBL) is a unique SPAM-blocker that filters out unwanted emails, and the optional VirusProtect software module provides comprehensive security.




---

- **FTP server**

The integrated high performance FTP server offers an easy way to provide high volume file downloads.

---

- **MySQL server**

The integrated MySQL database server provides a database management system with superior speed, compactness and stability. It's easily accessible through a web-based interface. Net Integrator provides automatic configuration, backup and recovery, which simplifies set-up, administration and maintenance.

---

- **Firewall**

The state-of-the-art auto-configuring firewall requires no setup and offers protection from hackers and other intruders. The firewall executes stateful inspections of all incoming IP packets and performs network and port address translation thereby hiding the internal network from the Internet. The advanced FastForward proxy service offers simple and safe access to protected servers behind the firewall.

---

- **TunnelVision VPN**

Employing the Internet as a connection medium, the TunnelVision Virtual Private Network solution delivers a safe and easy way to connect offices to each other. Data is secured in transit using the 128 bit Blowfish encryption algorithm or using standard IPsec.

---

- **Remote Access Services (RAS)**

Using Point-to-Point Tunneling Protocol (PPTP), users can securely connect to their network from anywhere on the Internet. PPTP support is built into all Microsoft Windows clients and third party PPTP is available for Macintosh clients.

---

- **Non-volatile solid state disk for operating system**

Providing the ultimate in reliability and crash recovery, the operating system and configuration files are stored on a non-volatile solid-state disk. Incredibly, during any hard disk failure, the system continues to operate as a LAN-to-Internet and firewall device without interruption. System recovery is simply a matter of installing a new hard disk and initiating the recovery sequence. The system automatically restores itself to normal operating state.

---

- **DoubleVision high reliability Internet connectivity**

Unique to Net Integrator, DoubleVision enables any combination of two separate Internet links from two separate Internet Service Providers (ISPs) to be connected to one Net Integrator. With this feature, Internet access bandwidth is doubled, DDNS ensures load sharing of incoming Internet traffic, and if one ISP's connection experiences problems or goes down, Internet access is unaffected.

---

- **Remote user management tools**

For more powerful remote desktop management, Net Integrator presents a new screen from the main menu that displays a list of current active users, and offers remote access to their workstations.

---

- **LDAP server**

All Net Integrator users are automatically listed on a built-in LDAP server (Lightweight Directory Access Protocol).


---

- **Dynamic DNS (DDNS)**

Unique to Net Integrator as a bundled service, DDNS eliminates the need for expensive and often hard-to-obtain static IP addresses. This feature allows mail, web sites, and FTP services to be hosted on any Net Integrator connected to an inexpensive dynamically addressed DSL or cable Internet line.

---

- **Removable hard disk for easy in-the-field maintenance**



Disk replacement for upgrades or disk failure is fast and simple. If the disk fails, a new disk is shipped overnight, allowing the system to be up and running first thing in the morning.

---

- **DHCP & DNS servers**

The auto-configuring DHCP server assigns IP addresses to all users on the internal LAN, while the integrated auto-configuring DNS server takes care of Internet name resolution.

---

- **RAID support**

For increased performance and data reliability, Mark II offers 3 drive devices for flexible RAID 1 (mirroring) or RAID 5 (multi-disk array) support. A fourth upgrade slot can accommodate an additional optional hard drive.

---

- **Positive Web Filtering**

Instead of blocking out undesirable web sites, Positive Web Filtering enables the administrator to create a list of desirable sites for user access and blocking access to sites that do not appear on the list. Using Positive Web Filtering, the administrator can restrict web access to only a few select web sites and allow full Internet access from specific workstations.

---

- **Remote deployment analog dial-in support**

Analog dial-in support provides the ultimate in remote deployment and management. Net Integrators can be shipped to remote locations, plugged in and turned on by anybody at the location. Then by simply dialing in through a regular modem and phone line, Net Integrators can be deployed, completely configured and managed from anywhere in the world.

---

- **Optional V.35 / X.21 leased line interface support**

Eliminating the need for the high cost and complexities of a router, optional V.35/X.21 leased line interface support provides serial communications at up to 4 Mbps via V.35 and X.21.



## Net Integrator Mark II

<b>Hardware</b>	<ul style="list-style-type: none"> <li>- Minimum AMD Athlon™ XP 1700+ processor</li> <li>- 512 MB ECC memory</li> <li>- 3 x 120 GB Ultra DMA/133 removable hard drives supporting:               <ul style="list-style-type: none"> <li>• RAID 1 (mirrored 120 GB file system)</li> <li>• or RAID 5 with 240 GB file system</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>- A fourth upgrade slot is available for an additional hard drive</li> <li>- Three 10/100 NIC ports</li> <li>- Serial DB9 interface for external dial-in / dial-out modem</li> <li>- VFD panel for easy setup &amp; control</li> </ul>
<b>Software</b>	<ul style="list-style-type: none"> <li>- Hardened and ruggedized Linux based UNIX kernel</li> <li>- SMB and AppleShare IP compatible file services, UNIX NFS</li> <li>- SMTP, POP3 IMAP4, WebMail</li> <li>- Journaling file system</li> <li>- Transparent proxy</li> <li>- FTP/anonymous FTP</li> <li>- DDNS (Dynamic DNS)</li> <li>- Remote user management tools</li> <li>- DoubleVision high reliability Internet connectivity</li> <li>- SNMP network monitoring support</li> <li>- Apache web server with CGI scripting Perl 5.0, PHP and SSL support</li> <li>- Supports virtual hosts</li> <li>- Web content filtering</li> <li>- Auto-configuring firewall</li> </ul>	<ul style="list-style-type: none"> <li>- TunnelVision VPN (virtual private network) with 128 bit Blowfish encryption algorithm</li> <li>- IPsec support</li> <li>- RAS (remote access services) PPTP support</li> <li>- NAT (network address translation)</li> <li>- DNS (domain name server), DHCP and LDAP servers</li> <li>- PPPoE-DSL support</li> <li>- Intelligent backup software</li> <li>- NetIntelligence AI configuration and management system</li> <li>- SystemER 2-minute disaster recovery system</li> <li>- RAID Levels Supported: 1 and 5</li> <li>- Analog dial-in support</li> <li>- Web control interface</li> <li>- MySQL database server</li> <li>- Realtime Blackhole List (RBL) email SPAM-blocking tool</li> </ul>
<b>Physical</b>	<ul style="list-style-type: none"> <li>- Dimensions: 7.9x18.9x17.3 inches (200x480x440mm)</li> <li>- Shipping weight: approx: 55 pounds (25 Kg)</li> <li>- Power requirements: 110-240V 50/60 Hz, 180W max</li> <li>- Operating environment: 5° to 40° C (41° to 104° F) 10% to 80% humidity (non-condensing)</li> <li>- Non-operating environment: -10° to 50° C (14° to 122° F) 5% to 93% humidity (non-condensing)</li> <li>- LED: Power, disk power, disk activity, Internet connection</li> <li>- VFD: message display</li> </ul>	
<b>Warranty/ Maintenance</b>	<ul style="list-style-type: none"> <li>- Warranty PLUS! customer care package includes one year express hardware replacement, operating system software maintenance and DynamicDNS service.</li> </ul>	
<b>Regulatory Approvals</b>	<ul style="list-style-type: none"> <li>- FCC Class B, ENTELA, CE</li> </ul>	
<b>Internet Access</b>	<ul style="list-style-type: none"> <li>- Net Integrators offer a host of integrated connectivity capabilities including: analog dial-up modem, cable modem, DSL (including PPPoE support), optional serial V.35 or X.21 leased line interface from 56k to 4 Mbps, and ISDN (through an external terminal adapter) .</li> <li>- Other types of connections are supported through an Ethernet connection to any standard IP router.</li> <li>- Internet connectivity requires Internet service (not included)</li> </ul>	
<b>Options</b>	<ul style="list-style-type: none"> <li>- V.35 and X.21 leased line interface support</li> <li>- Gigabit Ethernet option</li> <li>- ISDN support (external TA required)</li> </ul>	<ul style="list-style-type: none"> <li>- Server-based anti-virus protection</li> <li>- Additional idb disk cartridges</li> <li>- Serial Y cable</li> </ul>

### About Net Integration Technologies Inc.



Net Integration Technologies, Inc. develops high-performance integrated office super servers designed to meet the IT needs of small to medium-size businesses. The Net Integrator family of products leverages Net Integration's technologies to deliver an easy-to-use, reliable, powerful and cost-effective IT solution. Net Integrator products are delivered through a global network of Partners. For more information about Net Integration Technologies, please visit [www.net-itech.com](http://www.net-itech.com).

For more information, please contact:

#### North America:

##### **Net Integration Technologies Inc.**

7300 Warden Avenue, Suite 106  
 Markham, Ontario  
 Canada L3R 9Z6  
 Phone: 866-384-8324  
 Phone: 905-946-1777  
 Fax: 905-946-2468  
 Web: [www.net-itech.com](http://www.net-itech.com)  
 Email: [sales@net-itech.com](mailto:sales@net-itech.com)

#### EMEA:

##### **Net Integration Technologies Ltd.**

Wyvols Court  
 Old Basingstoke Road  
 Swallowfield, Reading  
 Berkshire RG7 1WY  
 England  
 Phone: +44 (0) 118-988-0225  
 Fax: +44 (0) 118-988-0325  
 Web: [www.net-itech.com](http://www.net-itech.com)  
 Email: [europesales@net-itech.com](mailto:europesales@net-itech.com)